



Truly **MOBILE**  
Super **VERSATILE**  
Extremely **DURABLE**



**TTS Steel targets**  
**2021**



**Our unique multi functional target stand to which all of our targets will fit. This device is the key to the mobility and versatility of the TTS target system.**

**It enables multiple functions which means less money spent and less load carried. It's made of 10 mm waterjet cut 500 Brinell steel, so it will take a beating!**

**Functionalities:**

- **Interchangeable targets**
- **Static target upright**
- **Static target forward incline**
- **Backward falling target**
- **Extension legs optional**



**MULTIFUNCTIONAL TARGET STAND**

**500 Brinell  
multifunctional target  
stand  
Artnr : STD#01**

**IPSC standards mini popper. When utilized with the TTS target stand in static mode, it will be set in a forward inclination in order to deflect shrapnel. The target figure can also be calibrated to function as a knock over target . Once calibrated only to fall when scoring the hit zone, it will stay calibrated for the duration of your training or match!**



**SMALL POPPER**

**Target stand (STD#01) is sold separately.**

**500 Brinell  
10 mm thickness  
560 mm height  
8 Kg weight  
Ø 200 mm hitzone  
Artnr : TGT#01**

**Manshape A/C torso + head. When utilized with the TTS target stand it will be set in a forward inclination in order to deflect shrapnel. The target figure can also be calibrated to function as a knock over target .**



**A/C TORSO + HEAD**

**Target stand (STD#01) is sold separately.**

**500 Brinell  
10 mm thickness  
940 mm height  
15 Kg weight  
400 x 275 mm torso  
150 x 150 mm head  
Artnr : TGT#03**

**This frame will suit all our gongs. The frame is made of the same quality 500 Brinell steel as the targets, thus no worries hitting the frame. Comes with 2 pcs 500 Brinell steel hanging hooks included.**



**GONG FRAME**

**33**

**Target stand (STD#01) is sold separately.**

**500 Brinell  
10 mm thickness  
550 x 400 mm  
Artnr : STD#04**

**This gong will give a distinct “ping” and visual movement.**



**GONG A4 SIZE**

**Target stand (STD#01) , frame and hooks (STD#04) are sold separately.**

**500 Brinell  
10 mm thickness  
300 x 200 mm hitzone  
Artnr : TGT#04**

**This gong will give a distinct “ping” and visual movement.**



**GONG IPSC A-ZONE**

**Target stand (STD#01) , frame and hooks (STD#04) are sold separately.**

**500 Brinell  
10 mm thickness  
IPSC A- hitzone  
Artnr : TGT#05**

**Though made of the highest quality 500 Brinell steel, things that get shot at might get worn out and eventually break. These hanging hooks are specially designed to make the gong move when hit, but also reset in a very short time.**


**33**

**HANGING HOOKS**

**500 Brinell  
10 mm thickness  
Artnr : STD#04\_H**



**These extension legs are available as an option to heighten the TTS target stand. Just click in and secure with a zip tie.**



**EXTENSION LEGS**

**500 Brinell  
10 mm thickness  
Artnr : STD#03**

**A traditional full size IDPA steel target. Watercut out of 10 mm 500 Brinell steel. The target should be mounted on a 45 x 70 mm wooden joist.**



**FULL SIZE IDPA TARGET**

**Target stand and bracket #STD 02 is sold separately .**

**500 Brinell  
10 mm thickness  
750 mm height  
450 mm width  
Artnr : TGT#10**

**A traditional B/AC steel target. Watercut out of 10 mm 500 Brinell steel. The target should be mounted on a 45 x 70 mm wooden joist.**



**B/AC IDPA TARGET**

**Target stand and bracket #STD 02 is sold separately .**

**500 Brinell  
10 mm thickness  
600 mm height  
300 mm width  
Artnr : TGT#11**

**Base stand and target bracket to hold TGT# 10 & TGT#11.  
Will fit a 45 x 70 mm wooden joist.  
Bolts and nuts are included.**




**STAND AND BRACKET FOR TGT 10&11**

**Target stand & bracket  
Mild steel  
Artnr : STD#02**




Torso/head in static mode.

The static Torso is appropriate to use for short range drills- 5 to 200 Yards with frangible ammunition, 100 to 200 Yards with FMJ ammunition.



Minipopper in static mode.

The static popper is appropriate to use for short range drills- 5 to 200 Yards with frangible ammunition, 100 to 200 Yards with FMJ ammunition.




Gong with frame.

The gong with frame is appropriate to use for long range drills. It will move and give a distinct sound when hit.



Minipopper in knock over- mode.

The knock over popper is appropriate to use for "competitive" type drills. It will fall backwards when hit and must be reset before the next run.



10 mm (0,4 inches) 500 Brinell steel rated for caliber .223 and .308 with muzzle velocity below 3000 fps  
For safety reasons and steel durability reasons it's recommended not to shoot closer than 100 Yards unless using frangible ammunition.



10 mm (0,4 inches) 500 Brinell steel rated for all handguns. For safety reasons it's recommended to separate rifle targets from handgun targets and not to shoot closer than 10 Yards unless using frangible ammunition.  
Do not shoot bullets with muzzle velocity below 750 fps.



Do not use armor piercing bullets.  
Bullets with "semi" armor piercing capability like M855 and SS109 will dent the targets and shorten the lifetime of the targets



Protect your ears and eyes and wear covering clothes when shooting steel.



Questions or feedback?  
[info@tts-sweden.se](mailto:info@tts-sweden.se)  
[www.tts-sweden.se](http://www.tts-sweden.se)



10 mm (0,4 inches) 500 Brinell steel rated for caliber .223 and .308 with muzzle velocity below 3000 fps  
For safety reasons and steel durability reasons it's recommended not to shoot closer than 100 Yards unless using frangible ammunition.



10 mm (0,4 inches) 500 Brinell steel rated for all handguns.  
For safety reasons it's recommended to separate rifle targets from handgun targets and not to shoot closer than 10 Yards unless using frangible ammunition.  
Do not shoot bullets with muzzle velocity below 750 fps.



Do not use armor piercing bullets.  
Bullets with "semi" armor piercing capability like M855 and SS109 will dent the targets and shorten the lifetime of the targets



Protect your ears and eyes and wear covering clothes when shooting steel.



[www.tts-sweden.se](http://www.tts-sweden.se)



[info@tts-sweden.se](mailto:info@tts-sweden.se)

[www.tts-sweden.se](http://www.tts-sweden.se)



[info@tts-sweden.se](mailto:info@tts-sweden.se)